

# Messaging Characteristics In Nokia CDMA Devices

Version 1.3; June 27, 2005

# Messaging

**NOKIA**

Copyright © 2005 Nokia Corporation. All rights reserved.

Nokia and Nokia Connecting People are registered trademarks of Nokia Corporation. Java and all Java-based marks are trademarks or registered trademarks of Sun Microsystems, Inc. Other product and company names mentioned herein may be trademarks or trade names of their respective owners.

#### **Disclaimer**

The information in this document is provided "as is," with no warranties whatsoever, including any warranty of merchantability, fitness for any particular purpose, or any warranty otherwise arising out of any proposal, specification, or sample. Furthermore, information provided in this document is preliminary, and may be changed substantially prior to final release. This document is provided for informational purposes only.

Nokia Corporation disclaims all liability, including liability for infringement of any proprietary rights, relating to implementation of information presented in this document. Nokia Corporation does not warrant or represent that such use will not infringe such rights.

Nokia Corporation retains the right to make changes to this specification at any time, without notice.

#### **License**

A license is hereby granted to download and print a copy of this specification for personal use only. No other license to any other intellectual property rights is granted herein.

## Contents

<b>1</b>	<b>Supported Smart Messaging Features .....</b>	<b>5</b>
<b>2</b>	<b>Supported MMS Features .....</b>	<b>5</b>
2.1	Nokia Platforms .....	6
2.2	The Series 40 Platform.....	6
2.2.1	Graphics.....	6
2.2.2	Audio .....	8
2.2.3	Other content .....	8
<b>3</b>	<b>Terminal Display Areas.....</b>	<b>9</b>
3.1	Nokia 3585i, 3586, 3586i, 3587, 3587i, 6012, 6015, 6015i .....	9
3.2	Nokia 3105, 3125, 3205, 6225, 6235, 6235i, 6585 .....	9
3.3	Nokia 3152, 3155, 3155i, 6155, 6155i, 6255, 6255i .....	9
3.4	Nokia 6265 .....	9
<b>4</b>	<b>Terms and Abbreviations .....</b>	<b>10</b>
<b>5</b>	<b>Evaluate This Document .....</b>	<b>11</b>

## Change History

June 28, 2004	Version 1.0	Initial document release
December 2, 2004	Version 1.1	Nokia 6235 and Nokia 6235i devices added
March 14, 2005	Version 1.2	Nokia 3152, Nokia 3155, Nokia 3155i, Nokia 6155, Nokia 6155i, and Nokia 6635 devices added
June 27, 2005	Version 1.3	Nokia 6265 added.

## 1 Supported Smart Messaging Features

The following table shows supported Smart Messaging features for Nokia CDMA devices. However, due to differences in the implementation of network services supported by different CDMA operators, the same Nokia CDMA mobile device model may be configured differently in some geographic areas and on some operator networks. It is recommended to check with your operator whether Smart Messaging is supported on the mobile device in question.

	Ring tone	Operator logo	Picture message	Business card (vCard)	Calendar reservation (vCal)
3105	X	X	X	X	X
3125	X	X	X	X	X
3152	X	X	X	X	X
3155	X	X	X	X	X
3155i	X	X	X	X	X
3205	X	X	X	X	X
3585i	X	X	X	X	X
3586	X	X	X	X	X
3586i	X	X	X	X	X
3587	X	X	X	X	X
3587i	X	X	X	X	X
6012	X	X	X	X	X
6015	X	X	X	X	X
6015i	X	X	X	X	X
6155	X	X	X	X	X
6155i	X	X	X	X	X
6225	X	X	X	X	X
6235	X	X	X	X	X
6235i	X	X	X	X	X
6255	X	X	X	X	X
6255i	X	X	X	X	X
6265	X	X	X	X	X
6585	X	X	X	X	X
6635	NA	NA	NA	NA	NA

## 2 Supported MMS Features

The following tables show supported Multimedia Messaging Service (MMS) features in current Nokia CDMA devices. Although there are varying standards for transporting multimedia content (such as

Picture Messaging), the Nokia 6585 mobile device was the first Nokia CDMA device to support OMA standard MMS.

The following are explanations for the characters used in the tables:

1. S = Send
2. R = Receive and view the content in the MMS viewer. The content can also be saved to the device and used by another application.
3. R<sup>1</sup> = Receive, save, and use another application to view the content. The content cannot be viewed in the MMS viewer. The content must first be saved and then opened in the appropriate application.

The maximum recommended MMS message sizes for all devices are listed at the end of the Other Content table in Section 2.2.3, "Other content."

## 2.1 Nokia Platforms

Nokia's platform approach is designed to help developers build and deliver mobile applications to a global audience in less time, with less effort, and with less cost. Developers can build core functionality on top of the platform technologies, and then optimize their applications for specific user interfaces and technology extensions for target devices.

Nokia platforms offer sustainable business opportunities for mobile application developers and give developers the ability to reach consumers and enterprises alike on a mass-market scale. In addition to providing volume benefits, working with Nokia platforms lets developers easily keep pace with new software and hardware technologies.

Nokia assists developers in building, marketing, and selling applications. For more information about Forum Nokia's application testing and certification services, marketing programs, and B2B and B2C channels, please visit [www.forum.nokia.com](http://www.forum.nokia.com).

## 2.2 The Series 40 Platform

Series 40 Platform 1<sup>st</sup> Edition brings color displays, Java™ programmability, and multimedia messaging to the mass market. It provides a rich, common set of Java APIs, a browsing environment based on the WAP specification, and multimedia messaging.

Series 40 Platform 2<sup>nd</sup> Edition brings Java MIDP 2.0, Wireless Messaging API, Mobile Media API, Bluetooth API, XHTML browsing, MMS messaging with SMIL, OMA DRM, and OMA Client Provisioning to the mass market. The Series 40 Platform 3<sup>rd</sup> Edition brings an enhanced UI, support for multimedia-rich applications, and a number of new Java APIs. For more information about the Series 40 Developer Platforms and the tools available, please visit [www.forum.nokia.com](http://www.forum.nokia.com).

In the following tables, the features supported by Series 40 Platform 1<sup>st</sup> Edition are listed first, followed by the devices that are compatible with Series 40 Platform 1<sup>st</sup> Edition but support some additional features. Similarly, the features of Series 40 Platform 2<sup>nd</sup> and 3<sup>rd</sup> Edition and the devices compatible with Series 40 Platform 2<sup>nd</sup> and 3<sup>rd</sup> Edition are defined in the tables.

### 2.2.1 Graphics

Graphics	1 <sup>st</sup> Ed	6585	3105	3125	3205	6225	2 <sup>nd</sup> Ed	6235	6235i	6255	6255i
Image/jpeg, baseline (*.jpeg, *.jpg)	S/R						S/R				

Graphics	1 <sup>st</sup> Ed	6585	3105	3125	3205	6225	2 <sup>nd</sup> Ed	6235	6235i	6255	6255i	
Image/jpeg, progressive	-	S/R					-					
Image/gif, static (gif87a, gif89a) (*.gif)	S/R					S/R						
Image/gif, animated (gif89a)(*.gif)	S/R					S/R						
Image/png (*.png)	S/R					S/R						
Image/bmp (*.bmp)	S/R					S/R						
Image/vnd.wap.wbmp (*.wbmp)	S/R <sup>(2)</sup>					S/R						
Image/vnd.nok-wallpaper (*.jpg, *.gif) <sup>(1)</sup>	R					R						

(1) Protected content types. These content types can only be saved to the device. Sending and forwarding are not allowed. (2) DRM enforced (These footnotes apply to the grid continued below.)

Graphics	2 <sup>nd</sup> Ed	3152	3155	3155i	6155	6155i	3 <sup>rd</sup> Ed, 6265
Image/jpeg, baseline (*.jpeg, *.jpg)	S/R					S/R	
Image/jpeg, progressive	S/R					S/R	
Image/gif, static (gif87a, gif89a) (*.gif)	S/R					S/R	
Image/gif, animated (gif89a)(*.gif)	S/R					S/R	
Image/png (*.png)	S/R					S/R	
Image/bmp (*.bmp)	S/R					S/R	
Image/vnd.wap.wbmp (*.wbmp)	S/R <sup>(2)</sup>					S/R	
Image/vnd.nok-wallpaper (*.jpg, *.gif) <sup>(1)</sup>	R					R	

2.2.2 Audio<sup>1</sup>

Audio	1 <sup>st</sup> Ed	6585	3105	3125	3205	6225	2 <sup>nd</sup> Ed	6235	6235i	6255	6255i
application/vnd.Nokia.ring-tone <sup>(1), (2)</sup>	R						R				
Audio/amr (*.amr)	-		R		S/R		S/R				
Audio/amr-wb (*.awb) <sup>(2)</sup>	-	R <sup>1</sup>	-				-				
Audio/midi (*.mid) <sup>(2)</sup>	R				S/R <sup>(3)</sup>	R	R				
Audio/sp-midi (*.mid) <sup>(2)</sup>	R				S/R <sup>(3)</sup>	R	R				
Audio/qcelp	-	R			S/R		R	S/R			

<sup>(1)</sup> Defined in Smart Messaging Specification. <sup>(2)</sup> Protected content types. These content types can only be saved to the device. Sending and forwarding are not allowed. <sup>(3)</sup> DRM enforced.

Audio	2 <sup>nd</sup> Ed	3152	3155	3155i	6155	6155i	3 <sup>rd</sup> Ed, 6265
application/vnd.Nokia.ring-tone <sup>(1), (2)</sup>	R						R
Audio/amr (*.amr)	S/R						S/R
Audio/amr-wb (*.awb) <sup>(2)</sup>	-						-
Audio/midi (*.mid) <sup>(2)</sup>	R						R
Audio/sp-midi (*.mid) <sup>(2)</sup>	R						R
Audio/qcelp	R	S/R					S/R

<sup>(1)</sup> Defined in Smart Messaging Specification. <sup>(2)</sup> Protected content types. These content types can only be saved to the device. Sending and forwarding are not allowed.

## 2.2.3 Other content

Other Content	1 <sup>st</sup> Ed	6585	3105	3125	3205	6225	2 <sup>nd</sup> Ed	6235	6235i	6255	6255i
text/plain	S/R						S/R				
Video/3gpp (*.3gp)	-				S/R		S/R				
Max. MMS message size, kB	45						100-300				

Other Content	2 <sup>nd</sup> Ed	3152	3155	3155i	6155	6155i	3 <sup>rd</sup> Ed, 6265
text/plain	S/R						S/R
Video/3gpp (*.3gp)	S/R						S/R
Max. MMS message size, kB	100						600

<sup>1</sup> Implementation may vary in some operator networks.

### 3 Terminal Display Areas

#### 3.1 Nokia 3585i, 3586, 3586i, 3587, 3587i, 6012, 6015, 6015i

- Screen size: 96 x 65
- Wallpaper: 96 x 65 (the Nokia 3585i mobile device does not support wallpaper)
- Operator logo: Text string only
- MMS viewer: MMS is not supported by these models

#### 3.2 Nokia 3105, 3125, 3205, 6225, 6235, 6235i, 6585

- Screen size: 128 x 128
- Wallpaper: 128 x 128
- Operator logo: Text string only
- MMS viewer: 122 x 96

#### 3.3 Nokia 3152, 3155, 3155i, 6155, 6155i, 6255, 6255i

- Screen size: 160 x 128
- Wallpaper: 160 x 128
- Operator logo: Text string only
- MMS viewer: 128 x 115

As wallpaper, large images are scaled down to a 160 x 128 display and centered.

Larger images are also supported, but they are scaled down to fit the screen. Smaller images are centered. The images are saved in their original size.

#### 3.4 Nokia 6265

- Screen size: 320 x 240
- Wallpaper: 320 x 240
- Operator logo: Text string only
- MMS viewer: 224 x 244

## 4 Terms and Abbreviations

Term or abbreviation	Meaning
CLI	Caller Line Identification
GPRS	General Packet Radio Service
MMS	Multimedia Messaging Service
OMA	Open Mobile Alliance
SMIL	Synchronized Multimedia Integration Language
SMS	Short Message Service
WAP	Wireless Application Protocol

## 5 Evaluate This Document

In order to improve the quality of documentation, we kindly ask you to fill in the [document survey](#).